

## Baixo Sofa, 2020

Baixo ("low" in Portuguese) sofa proposes a new way of seating. It is an invitation to the casual comfort, closer to the floor. The organic structure is highlighted by the exclusive WE—KNIT® covering—made from recycled PET bottles—which allows the purity of forms by a seamless surface.

PRODUCT TYPE: Sofa

**ENVIRONMENT: Indoor** 

MATERIALS: Wood, Plywood, Upholstery

DIMENSIONS / NET WEIGHT SMALL (BX11) W: 200cm / 78¾" D: 105cm / 41¼" H: 58cm / 22¾" Seat height: 30cm / 12" 2 cushions included 55kg / 121 lbs

MEDIUM (BX12)
W: 250cm / 981/2"
D: 110cm / 431/4"
H: 58cm / 223/4"
Seat height: 30cm / 12"
3 cushions included
68kg / 150 lbs

LARGE (BX13)
W: 300cm / 118"
D: 115cm / 451/4"
H: 58cm / 223/4"
Seat height: 30cm / 12"
4 cushions included
82kg / 181 lbs

COLORS

See below exclusive WE—KNIT® coverings for WENTZ upholstered products.

TECHNICAL DESCRIPTION
Upholstered sofa with solid wood and plywood structure, elastic straps and foam. Exclusive
WE—KNIT® covering. Base in black painted wood. Pillows included with the same finishing of the sofa.

CERTIFICATES
US California Tech. Bull. 117

PACKAGING SMALL (BX11) 205 x 110 x 70cm / 81" x 43" x 28" 167 kg / 145 lbs

MEDIUM (BX12) 255 x 115 x 70cm / 100" x 45" x 28" 204 kg / 163 lbs

Large (8x13) 305 x 120 x 70cm / 120" x 47" x 28" 242 kg / 192 lbs









BX12 BAIXO SOFA MEDIUM



BX13 BAIXO SOFA LARGE

## LIFTLEGS





The Baixo Sofa standard legs can be replaced with the "lift legs" to raise the seat height by 5cm / 2 inches.

NOTE
Baixo Lift Legs sold separately.

WE-KNIT® 001

COMPOSITION
100% Recycled PET

ABRASION RESISTANCE 100.000 Martindale Mesh wire pulling: 5 (ISO 1–5) Colorfastness: 5 (ISO 1–5)

LIGHT RESISTANCE Lightfastness: 5 (ISO 1-5)

FLAME RESISTANCE US California Tech. Bull. 117








MOSS GREEN








001.12 LIGHT BLUE







WE-KNIT® 005

COMPOSITION 70% Recycled PET + 30% Elastane

ABRASION RESISTANCE 100.000 Martindale Mesh wire pulling: 4 (ISO 1–5) Colorfastness: 5 (ISO 1–5)

LIGHT RESISTANCE Lightfastness: 5 (ISO 1-5)

FLAME RESISTANCE
US California Tech. Bull. 117





OFF-WHITE





005.05 CHESTNUT




005.07 CLAY



005.10 MOSS GREEN



005.13 COOL GREY



005.12 LIGHT BLUE



005.11 NAVY BLUE



005:18 OFF-BLACK